## WeatherSide<sup>™</sup> Fiber-Cement Siding Sell Sheet

### (RESFC200)

Updated: 7/18



gaf.com

# GAF Weather Side

Pre-primed & ready for painting!



- **Perfect Design...** Virtually identical in size and shape to millions of old non-existent asbestos siding shingles installed over the last 50 years
- **Safe...** WeatherSide<sup>™</sup> Fiber-Cement Siding contains NO asbestos
- Avoids Hassles and Expenses... Great for replacing or matching damaged asbestos siding shingles, siding small additions, or even changing windows without the expense of new siding for the whole house
- **Easy Installation...** After properly removing the old siding, \* simply nail the WeatherSide<sup>™</sup> Fiber-Cement Siding in place and paint

- **Pre-Primed...** Ready to be painted to match existing wall color
- Extremely Durable... Won't warp, dent, rot, shrink, or expand, and even resists termite infiltration
- Fire Safe... WeatherSide<sup>™</sup> Fiber-Cement Siding meets or exceeds UL-approved non-combustible testing (ASTM E136 & UL 723)
- Code Approvals...

State of Florida approved Meets or exceeds the requirements of the Texas Department of Insurance



\*We recommend that any removal and disposal of asbestoscontaining products be done by a professionally trained asbestos-removal contractor.

# GAF Weather Side

SHINGLE SELECTOR

Pre-primed & ready for painting!

#### Great For New Residential Applications And Tough And Durable Enough For Commercial Construction...

- **Proven Technology...** WeatherSide<sup>™</sup> Fiber-Cement Siding is fireproof, durable, and resistant to freeze-thaw conditions
- Fast Installation... Unlike some other fiber-cement siding products, WeatherSide<sup>™</sup> Fiber-Cement Siding does not require caulking at every joint
- Classic Look... Distinctive beauty unavailable in other siding products
- **Pre-Primed...** Comes with a flat white primed surface, ready for painting
- Peace Of Mind... Backed by a 25-year ltd. warranty\*

\*See WeatherSide<sup>™</sup> Limited Warranty for complete coverage and restrictions.

#### Matching Accessories Available...

WeatherSide<sup>™</sup> Fiber-Cement Siding accessories offer faster, easier, more accurate installation and include:



- 1 3/4" Siding Nails
- Pre-Primed Individual Corners (9", 12", 14", and Emphasis<sup>™</sup>)
- Backer Strips (9", 12", and 14")



Purity * Shingle Textured surface with Straight, Way, or Thatched edge.			Emphasis <sup>™</sup> Shingle Extrathick wood grain surface with Thothed edge.	Profile Shingle Striated surface with Straight edge.		
	Straight/Wavy	<u>Thatched</u>		<u>Profile 9</u>	Profile 12	Profile 14
Size:	12" x 24"	12" x 24"	14 5/8" x 25 5/32"	9" x 32"	12" x 24"	14 5⁄8" x 32"
Exposure:	11"	10 ½"	13"	8"	11"	13 5⁄8"
Thickness:	11/64"	11/64"	9/32"	11/64"	11/64"	11/64"
Pcs./Bundle:	18	19	11	19	18	11
Bundles/Sq.:	3	3	4	3	3	3
Sqs./Pallet:	20	20	10	15	20	15
Lbs./Sq.:	168	186	268	177	165	171



**FIBER-CEMENT SIDING**