

## RUSTICSERIES™ PANEL SIDING

## SUBMITTAL DOCUMENT

Submitted to:

Project Name:

Submitted by:

Date:

Substrate:

Profile:

Color:

## RUSTICSERIES™ PANEL SIDING

## SPECIFICATION SHEET

### Manufacturer

Woodtone Building Products

- 8007 Aitken Road, Chilliwack BC
- 9403 24th Place West, Everett WA

### Features

- Two-tone wood look without the maintenance
- Sustainable substrate and coating practices
- 20-year coating warranty + substrate warranty

### Available Substrates

- James HardiePanel - 4'x8', 4'x10'
- Allura Fiber Cement - 4'x8', 4'x9', 4'x10'
- LP SmartShake Panel - 4'x8', 4'x9', 4'x10'

### Colors

RusticSeries™ is available in 18 two-tone colors.

- |                  |                    |
|------------------|--------------------|
| • Aspen Ridge    | • Roasted Walnut   |
| • Black Canyon   | • Rosewood         |
| • Caribou Trails | • Sand Castle      |
| • Cascade Slate  | • Stone Blue       |
| • Coastal Gray   | • Summer Wheat     |
| • Midnight Tide  | • Warm Espresso    |
| • Mountain Cedar | • White Granite    |
| • Old Cherry     | • White Rapids     |
| • River Rock     | • Winchester Brown |

### Use

Woodtone RusticSeries™ is used as exterior wall covering. This product is prefinished and available in fiber cement or engineered wood substrates.

### Texture & Finish

Woodtone RusticSeries™ is applied to textured substrate only. The coating is manufactured by Akzo Nobel and applied in a controlled factory setting.

### Trim and Caulking

Solid color trim suggestions and matching caulking available for each RusticSeries™ color at [woodtone.com](http://woodtone.com).

### Installation

Install Woodtone RusticSeries™ in accordance with:

- HardiePanel siding installation instructions
- Allura panel siding installation instructions
- LP SmartSide panel siding installation instructions

### Storage and Handling

Full Care and Maintenance guide: [woodtone.com](http://woodtone.com)

- Do not store pallets directly on the ground
- Ensure that slip sheeting stays between boards
- Use plastic wrap provided to keep the product dry
- Do not lift more than 2 packs by forklift at a time
- Do not stack pallets more than 3 high

### Touch-up

Order touch-up online at [woodtone.com/store](http://woodtone.com/store). Full instructions available on our website.

- Check the touch-up color ordered is correct
- Mix paint well, do not allow paint to freeze
- Test the color on the sample piece or hidden area

### RusticClarity™

Woodtone RusticSeries™ coating carries a limited 20 year warranty. Following, we offer RusticClarity™, a one coat application to bring back the vibrance of your siding.

### Warranty

Woodtone RusticSeries™ carries a 20 year limited coating warranty in addition to the substrate manufacturer's warranty. Visit [woodtone.com](http://woodtone.com) for full details.

### Important Notes

- RusticSeries™ replicates the natural beauty and warmth of real wood siding. Each substrate and profile will vary in terms of grain pattern and color.
- Woodtone will consider the installation of the product as final acceptance of the product.
- Improper installation of product will void warranty.


### Strategic Accounts/Large Job Quotes

For assistance with commercial or multi-residential applications and large job quotes, please contact our Strategic Accounts team at [spec@woodtone.com](mailto:spec@woodtone.com).

## RUSTICSERIES™ PANEL SIDING

## SUBMITTAL DOCUMENT

Create a picture perfect exterior with our eighteen RusticSeries™ colors; select the perfect combination to suit your individual style. RusticSeries colors below are shown with a suggested solid color trim to complete the look.



Note: RusticSeries™ replicates the natural beauty of wood. Each substrate and each profile of this product varies in terms of grain pattern and color variance. Due to limitations of the printing process, actual color may vary from the color shown. Refer to a physical sample for approvals.



